

Agromet Advisory Bulletin

Andaman and Nicobar Islands

No: AB (E)/01/2026/8

Issued on: 27 January, 2026

Validity Period: 28 January, 2026 to 01 February, 2026

Value Added Medium Range Weather Forecast: (28 January, 2026 to 01 February, 2026)

The weather for next five days starting 27 January 2026, North & Middle Andaman is expected to experience dry weather with no rainfall, with maximum temperature ranging between 28.0 and 29.0°C and minimum temperature between 21.0 and 22.0°C. South Andaman is also likely to remain dry, with maximum temperature varying between 30.0 and 31.0°C and minimum temperature around 23.0°C. In contrast, Nicobar may experience light rainfall (up to 5.00 mm) with a cumulative rainfall of 12.00 mm, while temperatures are expected to be around 31.0°C (maximum) and 24.0°C (minimum). Maximum humidity across the islands is expected to range between 81 and 87%, while minimum humidity may vary from 56 to 68%. Wind speed is likely to range between 8 and 15 kmph, with winds predominantly from northerly to north-easterly directions, and sky conditions are expected to remain mainly clear to partly cloudy, becoming generally cloudy over Nicobar at times.

Weather-Based Agro Advisories (28 January, 2026 to 01 February, 2026)

For Andaman & Nicobar Islands

Crop / Livestock	Advisory
Greengram	Conduct light hoeing to improve soil aeration and reduce evaporative losses. Monitor for aphids and jassids. Spray Azadirachtin 0.03% EC @ 2 ml/l only if pest incidence is observed. Provide light irrigation if moisture stress appears.
Black Pepper & Clove	Shade-dry under well-ventilated conditions. Do not mix wet and dry produce. Store dried produce in moisture-proof containers to prevent quality loss.
Vegetables	Continue regular irrigation during morning hours. Monitor for thrips and mites. Apply micronutrients (Zn, B) through foliar spray if deficiency symptoms appear.
Coconut	Provide basin irrigation once in 10–12 days. Monitor palms for early symptoms of bud rot and stem bleeding . Spray neem oil 0.5% @ 3 ml/l if mite incidence is noticed.
Arecanut	Provide light irrigation and keep basins clean to improve aeration. Apply 80 g MOP per palm to improve plant vigor.
Banana	Ensure desuckering to maintain one mother and one follower system.. Apply balanced fertilizer with adequate potassium.
Fisheries	Monitor water level in ponds and compensate for evaporation losses. Avoid overfeeding. Maintain optimum water quality parameters.
Goat / Cow / Buffalo	Continue routine vaccination and deworming schedule. Take steps to grow hybrid napier grass whole year green fodder.
Poultry	Maintain proper ventilation and dry litter. Maintain proper vaccination schedule .

Coordinator-AAB

NRM division

ICAR-CIARI, Sri VijayaPuram

For more information call CIARI toll free No. 1800 345

A horizontal row of 20 empty square boxes, intended for children to write their names in, likely as part of a classroom activity.

□□□□□ □□□ □□□□□□□ □□□□□ □□□□ □□□□□:

AB(H)/01/2026/8

□□□□□□□□ □□ □□□□□ : 27 □□□□□, 2026
□□□□□, 2026

□□□□□□□: 28 □□□□□, 2026 □□ 01

□□□□□ □□□□□ □□□□□□□□□□ □□□□ □□□□□□□□□□ (28 □□□□, 2026 □□ 01 □□□□□□, 2026)

□□□□ □□□□□ □□□□ □□□□ (28 □□□□□, 2026 □□ 01 □□□□□□, 2026)

□□□□□□ □□ □□□□□□□ □□□□□ □□□□ □□ □□

Coordinator-AAB
NRM division
ICAR-CIARI, Sri Vijaya Puram

ஒன்றினரைக் குறிப்பிடுவதற்கும் 1800 345 3139 எண்ணால் முடிவு கிடைக்கவில்லை.