Gramin Krishi Mausam Sewa
Agromet Advisory Bulletin for SOUTH-ANDAMANS District
Central Agricultural Research Institute
Port Blair, Andaman & Nicobar Islands

Agromet Advisory Bulletin

Date : 2026-07-07

Weather Forecast of District SOUTH-ANDAMANS (West Bengal) Issued On : 2026-07-07 (Valid Till 08:30 IST of the next 5 days)

Parameter	2026-07-08	2026-07-09	2026-07-10	2026-07-11	2026-07-12
Rainfall(mm)	5.0	4.0	7.0	3.0	15.0
Tmax(°C)	31.0	31.0	31.0	31.0	31.0
Tmin(°C)	26.0	26.0	26.0	26.0	26.0
RH-I(%)	83	85	85	85	86
RH-II(%)	69	73	74	75	74
Wind Speed(kmph)	20	23	25	27	31
Wind Direction(Degree)	225	224	218	225	233
Cloud Cover(Octa)	7	6	7	8	8
Warning	NA	NA	NA	NA	NA

Forecast Summary:

During the next five days starting from 07 July 2026, South Andaman is expected to receive around 34 mm of rainfall with light rainfall. Maximum temperature is likely to remain around 31°C, while minimum temperature may remain around 26°C. Maximum relative humidity is expected to range between 83% and 86%, while minimum relative humidity may vary between 69% and 75%. Wind speed is likely to range from 20 to 31 kmph, mainly from the south-west direction. Sky conditions are expected to remain generally cloudy to cloudy.

Weather Warnings (Valid Till 08:30 IST of the next day)

NIL

Likely impacts of weather warnings on Agriculture and associated Agromet advisories

NIL

General Advisory:

Farmers are advised to continue routine agricultural operations under the prevailing light rainfall conditions. Thunderstorms accompanied by lightning and gusty winds (30–40 kmph) are likely on 08 July across North & Middle Andaman, South Andaman, and Nicobar. Avoid field operations, spraying, and fertilizer application during thunderstorms. Ensure proper drainage in crop fields to prevent temporary waterlogging and support young plants where necessary. Keep harvested produce, seeds, fertilizers, and pesticides in dry, safe places. Do not keep livestock under trees during thunderstorms; keep them in well-ventilated shelters and monitor crops, livestock, and fish ponds regularly for weather-related damage, pests, and diseases.

SMS Advisory:

Light rainfall is likely during the next five days. Thunderstorms with lightning and gusty winds (30–40 kmph) are expected only on 08 July. Weather is likely to remain normal during the remaining fore

Crop Specific Advisory:

Crop (Stage)	Crop Specific Advisory
RICE (Transplanting)	Paddy transplanting can be taken up during this period.

Horticulture Specific Advisory:

Horticulture (Stage)	Horticulture Specific Advisory
GINGER (Vegetative)	Carry out hand weeding in ginger and turmeric beds and around the basins of perennial fruit and spice crops to reduce weed competition and improve crop growth.

Live Stock Specific Advisory:

Live Stock	Live Stock Specific Advisory
COW	Clean the udder of cows and goats before and after milking using a Potassium Permanganet ($KMnO_4$) or mild soap solution. Provide clean, dry bedding, especially at night. Avoid keeping animals, particularly pregnant cows, on slippery floors to prevent injuries.

Fishieries Specific Advisory:

Fishieries	Fishieries Specific Advisory
INDIAN MAJOR CARP	Stock carp fry at 2–3 lakh/ha or fingerlings at 10,000/ha in prepared ponds. As there is no favourable rainfall for breeding, avoid induced breeding of carps during this period.

Likely impacts of weather warnings (General)

NIL

Impact based advisories (General)

NIL

Farmers are advised to download Unified “Mausam” and "Meghdoot" android application on mobile for Weather forecast and weather based Agromet Advisories and "Damini" android application for forecast of Thunderstorm and lightening.

Mausam MobileApp link: https://play.google.com/store/apps/details/

Meghdoot MobileApp link: https://play.google.com/store/apps/details

Damini MobileApp link : https://play.google.com/store/apps/details

ग्रामीण कृषि मौसम सेवा
भारत मौसम विज्ञान विभाग
केंद्रीय द्वीपीय कृषि अनुसंधान संस्थान
पोर्टब्लेयर, अंडमान तथा निकोबार द्वीपसमूह

मौसम आधारित कृषि परामर्श सेवाएं

दिनांक : 07-07-2026

SOUTH-ANDAMANS(पश्चिम वङ्ग) के मौसम का पूर्वानुमान - जारी करनेका दिन :2026-07-07 (अगले 5 दिनों के 8:30 IST तक वैध)

मौसम कारक	2026-07-08	2026-07-09	2026-07-10	2026-07-11	2026-07-12
वर्षा (मिमी)	5.0	4.0	7.0	3.0	15.0
अधिकतम तापमान(से.)	31.0	31.0	31.0	31.0	31.0
न्यूनतम तापमान(से.)	26.0	26.0	26.0	26.0	26.0
अधिकतम सापेक्षिक आर्द्रता (%)	83	85	85	85	86
न्यूनतम सापेक्षिक आर्द्रता (%)	69	73	74	75	74
हवा की गति (किमी प्रति घंटा)	20	23	25	27	31
पवन दिशा (डिग्री)	225	224	218	225	233
क्लाउड कवर (ओक्टा)	7	6	7	8	8
चेतावनी	NA	NA	NA	NA	NA

पूर्वानुमान सारांश:

07 जुलाई 2026 से अगले पाँच दिनों के दौरान दक्षिण अंडमान में लगभग 34 मिमी हल्की वर्षा होने की संभावना है। अधिकतम तापमान लगभग 31°C तथा न्यूनतम तापमान लगभग 26°C रहने की संभावना है। अधिकतम सापेक्षिक आर्द्रता 83% से 86% तथा न्यूनतम सापेक्षिक आर्द्रता 69% से 75% के बीच रहने की संभावना है। पवन गति 20 से 31 किमी/घंटा के बीच रह सकती है तथा हवाएँ मुख्यतः दक्षिण-पश्चिम दिशा से चलेंगी। आकाश सामान्यतः बादलयुक्त से पूर्णतः बादलयुक्त रहने की संभावना है।

मौसम चेतावनियाँ (अगले दिन के 08:30 IST तक मान्य):

NIL

मौसम चेतावनियों के कृषि पर संभावित प्रभाव और संबंधित एग्रोमेट सलाह:

NIL

सामान्य सलाहकार:

किसानों को सलाह दी जाती है कि वर्तमान हल्की वर्षा की परिस्थितियों में नियमित कृषि कार्य जारी रखें। 08 जुलाई को उत्तर एवं मध्य अंडमान, दक्षिण अंडमान तथा निकोबार में गरज-चमक के साथ 30–40 किमी/घंटा की रफ्तार से तेज़ हवाएँ चलने की संभावना है। गरज-चमक के दौरान खेतों में कार्य, कीटनाशकों का छिड़काव तथा उर्वरकों का प्रयोग न करें। फसलों में अस्थायी जलभराव से बचाव के लिए खेतों में उचित जल निकासी की व्यवस्था बनाए रखें तथा आवश्यकता होने पर युवा पौधों को सहारा दें। कटाई की गई उपज, बीज, उर्वरक और कीटनाशकों को सूखी एवं सुरक्षित जगह पर रखें। गरज-चमक के दौरान पशुओं को पेड़ों के नीचे न रखें, बल्कि उन्हें हवादार और

सुरक्षित पशुशालाओं में रखें। साथ ही, फसलों, पशुओं तथा मत्स्य तालाबों की नियमित निगरानी करें ताकि मौसम से होने वाली क्षति, कीटों और रोगों का समय पर पता लगाकर आवश्यक प्रबंधन किया जा सके।

लघु संदेश सलाहकार:

अगले पाँच दिनों के दौरान हल्की वर्षा होने की संभावना है। 08 जुलाई को ही गरज-चमक के साथ 30–40 किमी/घंटा की रफ्तार से तेज़ हवाएँ चलने की संभावना है। शेष पूर्वानुमान अवधि में मौसम सामान्य रहने की संभावना

फ़सल विशिष्ट सलाह:

फ़सल	फ़सल विशिष्ट सलाह
चावल	धान की रोपाई इस अवधि में की जा सकती है।

बागवानी विशिष्ट सलाह:

बागवानी	बागवानी विशिष्ट सलाह
अदरक	अदरक एवं हल्दी की क्यारियों तथा फल एवं मसाला फसलों के पौधों के चारों ओर हाथ से निराई-गुड़ाई करें, ताकि खरपतवारों की प्रतिस्पर्धा कम हो और फसल की वृद्धि बेहतर हो।

पशुपालन विशिष्ट सलाह:

पशुपालन	पशुपालन विशिष्ट सलाह
गाय	दूध दुहने से पहले और बाद में गाय एवं बकरियों के थनों को पोटैशियम परमैंगनेट ($KMnO_4$) के हल्के घोल या हल्के साबुन के घोल से अच्छी तरह साफ करें। पशुओं के लिए स्वच्छ एवं सूखा बिछावन उपलब्ध कराएँ, विशेषकर रात के समय। फिसलन वाले फर्श पर, खासकर गर्भवती गायों को न रखें, ताकि चोट लगने से बचाया जा सके।

मछली पालन विशिष्ट सलाह:

मछली पालन	मछली पालन विशिष्ट सलाह
भारतीय प्रमुख कार्प	तैयार किए गए तालाबों में कार्प मछली के फ्राई 2–3 लाख प्रति हेक्टेयर अथवा फिंगरलिंग 10,000 प्रति हेक्टेयर की दर से संचय करें। चूँकि इस अवधि में प्रजनन के लिए अनुकूल वर्षा की संभावना नहीं है, इसलिए कार्प मछलियों का प्रेरित प्रजनन (Induced Breeding) न करें।

मौसम चेतावनियों के संभावित प्रभाव (सामान्य):

NIL

प्रभाव आधारित सलाह (सामान्य):

NIL

Farmers are advised to download Unified �Mausam� and "Meghdoot" android application on mobile for Weather forecast and weather based Agromet Advisories and "Damini" android application for forecast of Thunderstorm and lightening.

Mausam MobileApp link: https://play.google.com/store/apps/details/

Meghdoot MobileApp link: https://play.google.com/store/apps/details

Damini MobileApp link : https://play.google.com/store/apps/details

Gramin Krishi Mausam Sewa

Agromet Advisory Bulletin for N-AND-M-ANDAMAN District

Central Agricultural Research Institute

Port Blair, Andaman & Nicobar Islands

Agromet Advisory Bulletin

Date : 2026-07-07

Weather Forecast of District N-AND-M-ANDAMAN (West Bengal) Issued On : 2026-07-07 (Valid Till 08:30 IST of the next 5 days)

Parameter	2026-07-08	2026-07-09	2026-07-10	2026-07-11	2026-07-12
Rainfall(mm)	5.0	3.0	6.0	8.0	12.0
Tmax(°C)	30.0	30.0	30.0	30.0	30.0
Tmin(°C)	24.0	24.0	24.0	24.0	24.0
RH-I(%)	84	86	86	86	88
RH-II(%)	67	70	72	75	72
Wind Speed(kmph)	18	23	22	25	29
Wind Direction(Degree)	225	225	219	226	234
Cloud Cover(Octa)	7	6	8	8	8
Warning	NA	NA	NA	NA	NA

Forecast Summary:

Over the next five days starting from 07 July 2026, North & Middle Andaman are likely to receive around 34 mm of rainfall with light rainfall. Maximum temperature is expected to remain around 30°C, while minimum temperature may remain around 24°C. Maximum relative humidity is expected to range between 84% and 88%, while minimum relative humidity may vary between 67% and 75%. Wind speed may range from 18 to 29 kmph, predominantly from the south-west direction. Sky conditions are expected to remain generally cloudy to cloudy.

Weather Warnings (Valid Till 08:30 IST of the next day)

NIL

Likely impacts of weather warnings on Agriculture and associated Agromet advisories

NIL

General Advisory:

Farmers are advised to continue routine agricultural operations under the prevailing light rainfall conditions. Thunderstorms accompanied by lightning and gusty winds (30–40 kmph) are likely on 08 July across North & Middle Andaman, South Andaman, and Nicobar. Avoid field operations, spraying, and fertilizer application during thunderstorms. Ensure proper drainage in crop fields to prevent temporary waterlogging and support young plants where necessary. Keep harvested produce, seeds, fertilizers, and pesticides in dry, safe places. Do not keep livestock under trees during thunderstorms; keep them in well-ventilated shelters and monitor crops, livestock, and fish ponds regularly for weather-related damage, pests, and diseases.

SMS Advisory:

Light rainfall is likely during the next five days. Thunderstorms with lightning and gusty winds (30–40 kmph) are expected only on 08 July. Weather is likely to remain normal during the remaining fore

Crop Specific Advisory:

Crop (Stage)	Crop Specific Advisory
RICE (Transplanting)	Paddy transplanting can be taken up during this period.

Horticulture Specific Advisory:

Horticulture (Stage)	Horticulture Specific Advisory
GINGER (Vegetative)	Carry out hand weeding in ginger and turmeric beds and around the basins of perennial fruit and spice crops to reduce weed competition and improve crop growth.

Live Stock Specific Advisory:

Live Stock	Live Stock Specific Advisory
COW	Clean the udder of cows and goats before and after milking using a Potassium Permanganet ($KMnO_4$) or mild soap solution. Provide clean, dry bedding, especially at night. Avoid keeping animals, particularly pregnant cows, on slippery floors to prevent injuries.

Fishieries Specific Advisory:

Fishieries	Fishieries Specific Advisory
INDIAN MAJOR CARP	Stock carp fry at 2–3 lakh/ha or fingerlings at 10,000/ha in prepared ponds. As there is no favourable rainfall for breeding, avoid induced breeding of carps during this period.

Likely impacts of weather warnings (General)

NIL

Impact based advisories (General)

NIL

Farmers are advised to download Unified “Mausam” and "Meghdoot" android application on mobile for Weather forecast and weather based Agromet Advisories and "Damini" android application for forecast of Thunderstorm and lightening.

Mausam MobileApp link: https://play.google.com/store/apps/details/

Meghdoot MobileApp link: https://play.google.com/store/apps/details

Damini MobileApp link : https://play.google.com/store/apps/details

ग्रामीण कृषि मौसम सेवा
भारत मौसम विज्ञान विभाग
केंद्रीय द्वीपीय कृषि अनुसंधान संस्थान
पोर्टब्लेयर, अंडमान तथा निकोबार द्वीपसमूह

मौसम आधारित कृषि परामर्श सेवाएं

दिनांक : 07-07-2026

N-AND-M-ANDAMAN(पश्चिम वङ्ग) के मौसम का पूर्वानुमान - जारी करनेका दिन :2026-07-07 (अगले 5 दिनों के 8:30 IST तक वैध)

मौसम कारक	2026-07-08	2026-07-09	2026-07-10	2026-07-11	2026-07-12
वर्षा (मिमी)	5.0	3.0	6.0	8.0	12.0
अधिकतम तापमान(से.)	30.0	30.0	30.0	30.0	30.0
न्यूनतम तापमान(से.)	24.0	24.0	24.0	24.0	24.0
अधिकतम सापेक्षिक आर्द्रता (%)	84	86	86	86	88
न्यूनतम सापेक्षिक आर्द्रता (%)	67	70	72	75	72
हवा की गति (किमी प्रति घंटा)	18	23	22	25	29
पवन दिशा (डिग्री)	225	225	219	226	234
क्लाउड कवर (ओक्टा)	7	6	8	8	8
चेतावनी	NA	NA	NA	NA	NA

पूर्वानुमान सारांश:

07 जुलाई 2026 से अगले पाँच दिनों के दौरान उत्तर एवं मध्य अंडमान में लगभग 34 मिमी हल्की वर्षा होने की संभावना है। अधिकतम तापमान लगभग 30°C तथा न्यूनतम तापमान लगभग 24°C रहने की संभावना है। अधिकतम सापेक्षिक आर्द्रता 84% से 88% तथा न्यूनतम सापेक्षिक आर्द्रता 67% से 75% के बीच रहने की संभावना है। पवन गति 18 से 29 किमी/घंटा के बीच रह सकती है तथा हवाएँ मुख्यतः दक्षिण-पश्चिम दिशा से चलेंगी। आकाश सामान्यतः बादलयुक्त से पूर्णतः बादलयुक्त रहने की संभावना है।

मौसम चेतावनियाँ (अगले दिन के 08:30 IST तक मान्य):

NIL

मौसम चेतावनियों के कृषि पर संभावित प्रभाव और संबंधित एग्रोमेट सलाह:

NIL

सामान्य सलाहकार:

किसानों को सलाह दी जाती है कि वर्तमान हल्की वर्षा की परिस्थितियों में नियमित कृषि कार्य जारी रखें। 08 जुलाई को उत्तर एवं मध्य अंडमान, दक्षिण अंडमान तथा निकोबार में गरज-चमक के साथ 30–40 किमी/घंटा की रफ्तार से तेज़ हवाएँ चलने की संभावना है। गरज-चमक के दौरान खेतों में कार्य, कीटनाशकों का छिड़काव तथा उर्वरकों का प्रयोग न करें। फसलों में अस्थायी जलभराव से बचाव के लिए खेतों में उचित जल निकासी की व्यवस्था बनाए रखें तथा आवश्यकता होने पर युवा पौधों को सहारा दें। कटाई की गई उपज, बीज, उर्वरक और कीटनाशकों को सूखी एवं सुरक्षित जगह पर रखें। गरज-चमक के दौरान पशुओं को पेड़ों के नीचे न रखें, बल्कि उन्हें हवादार और

सुरक्षित पशुशालाओं में रखें। साथ ही, फसलों, पशुओं तथा मत्स्य तालाबों की नियमित निगरानी करें ताकि मौसम से होने वाली क्षति, कीटों और रोगों का समय पर पता लगाकर आवश्यक प्रबंधन किया जा सके।

लघु संदेश सलाहकार:

अगले पाँच दिनों के दौरान हल्की वर्षा होने की संभावना है। 08 जुलाई को ही गरज-चमक के साथ 30–40 किमी/घंटा की रफ्तार से तेज़ हवाएँ चलने की संभावना है। शेष पूर्वानुमान अवधि में मौसम सामान्य रहने की संभावना

फ़सल विशिष्ट सलाह:

फ़सल	फ़सल विशिष्ट सलाह
चावल	धान की रोपाई इस अवधि में की जा सकती है।

बागवानी विशिष्ट सलाह:

बागवानी	बागवानी विशिष्ट सलाह
अदरक	अदरक एवं हल्दी की क्यारियों तथा फल एवं मसाला फसलों के पौधों के चारों ओर हाथ से निराई-गुड़ाई करें, ताकि खरपतवारों की प्रतिस्पर्धा कम हो और फसल की वृद्धि बेहतर हो।

पशुपालन विशिष्ट सलाह:

पशुपालन	पशुपालन विशिष्ट सलाह
गाय	दूध दुहने से पहले और बाद में गाय एवं बकरियों के थनों को पोटैशियम परमैंगनेट ($KMnO_4$) के हल्के घोल या हल्के साबुन के घोल से अच्छी तरह साफ करें। पशुओं के लिए स्वच्छ एवं सूखा बिछावन उपलब्ध कराएँ, विशेषकर रात के समय। फिसलन वाले फर्श पर, खासकर गर्भवती गायों को न रखें, ताकि चोट लगने से बचाया जा सके।

मछली पालन विशिष्ट सलाह:

मछली पालन	मछली पालन विशिष्ट सलाह
भारतीय प्रमुख कार्प	तैयार किए गए तालाबों में कार्प मछली के फ्राई 2–3 लाख प्रति हेक्टेयर अथवा फिंगरलिंग 10,000 प्रति हेक्टेयर की दर से संचय करें। चूँकि इस अवधि में प्रजनन के लिए अनुकूल वर्षा की संभावना नहीं है, इसलिए कार्प मछलियों का प्रेरित प्रजनन (Induced Breeding) न करें।

मौसम चेतावनियों के संभावित प्रभाव (सामान्य):

NIL

प्रभाव आधारित सलाह (सामान्य):

NIL

Farmers are advised to download Unified �Mausam� and "Meghdoot" android application on mobile for Weather forecast and weather based Agromet Advisories and "Damini" android application for forecast of Thunderstorm and lightening.

Mausam MobileApp link: https://play.google.com/store/apps/details/

Meghdoot MobileApp link: https://play.google.com/store/apps/details

Damini MobileApp link : https://play.google.com/store/apps/details

Gramin Krishi Mausam Sewa
Agromet Advisory Bulletin for NICOBAR District
Central Agricultural Research Institute
Port Blair, Andaman & Nicobar Islands

Agromet Advisory Bulletin

Date : 2026-07-07

Weather Forecast of District NICOBAR (West Bengal) Issued On : 2026-07-07 (Valid Till 08:30 IST of the next 5 days)

Parameter	2026-07-08	2026-07-09	2026-07-10	2026-07-11	2026-07-12
Rainfall(mm)	5.0	6.0	7.0	4.0	5.0
Tmax(°C)	31.0	31.0	31.0	31.0	31.0
Tmin(°C)	28.0	28.0	28.0	28.0	28.0
RH-I(%)	86	85	86	86	85
RH-II(%)	68	70	73	73	71
Wind Speed(kmph)	17	20	21	23	24
Wind Direction(Degree)	228	219	207	209	222
Cloud Cover(Octa)	4	5	5	7	8
Warning	NA	NA	NA	NA	NA

Forecast Summary:

07 जुलाई 2026 से अगले पाँच दिनों के दौरान निकोबार में लगभग 27 मिमी हल्की वर्षा होने की संभावना है। अधिकतम तापमान लगभग 31°C तथा न्यूनतम तापमान लगभग 28°C रहने की संभावना है। अधिकतम सापेक्षिक आर्द्रता 85% से 86% तथा न्यूनतम सापेक्षिक For the next five days starting from 07 July 2026, Nicobar is likely to receive around 27 mm of rainfall with light rainfall during the period. Maximum temperature is expected to remain around 31°C, while minimum temperature may remain around 28°C. Maximum relative humidity is expected to range between 85% and 86%, while minimum relative humidity may vary between 68% and 73%. Wind speed may range from 17 to 24 kmph, predominantly from the south-south-west to south-west direction. Sky conditions are expected to remain partly cloudy to cloudy.

Weather Warnings (Valid Till 08:30 IST of the next day)

NIL

Likely impacts of weather warnings on Agriculture and associated Agromet advisories

NIL

General Advisory:

Farmers are advised to continue routine agricultural operations under the prevailing light rainfall conditions. Thunderstorms accompanied by lightning and gusty winds (30–40 kmph) are likely on 08 July across North & Middle Andaman, South Andaman, and Nicobar. Avoid field operations, spraying, and fertilizer application during thunderstorms. Ensure proper drainage in crop fields to prevent temporary waterlogging and support young plants where necessary. Keep harvested produce, seeds, fertilizers, and pesticides in dry, safe places. Do not keep livestock under trees during thunderstorms; keep them in well-ventilated shelters and monitor crops, livestock, and fish ponds regularly for weather-related damage, pests, and diseases.

SMS Advisory:

Light rainfall is likely during the next five days. Thunderstorms with lightning and gusty winds (30–40 kmph) are expected only on 08 July. Weather is likely to remain normal during the remaining fore

Crop Specific Advisory:

Crop (Stage)	Crop Specific Advisory
RICE (Transplanting)	Paddy transplanting can be taken up during this period.

Horticulture Specific Advisory:

Horticulture (Stage)	Horticulture Specific Advisory
GINGER (Vegetative)	Carry out hand weeding in ginger and turmeric beds and around the basins of perennial fruit and spice crops to reduce weed competition and improve crop growth.

Live Stock Specific Advisory:

Live Stock	Live Stock Specific Advisory
COW	Clean the udder of cows and goats before and after milking using a Potassium Permanganet ($KMnO_4$) or mild soap solution. Provide clean, dry bedding, especially at night. Avoid keeping animals, particularly pregnant cows, on slippery floors to prevent injuries.

Fishieries Specific Advisory:

Fishieries	Fishieries Specific Advisory
INDIAN MAJOR CARP	Stock carp fry at 2–3 lakh/ha or fingerlings at 10,000/ha in prepared ponds. As there is no favourable rainfall for breeding, avoid induced breeding of carps during this period.

Likely impacts of weather warnings (General)

NIL

Impact based advisories (General)

NIL

Farmers are advised to download Unified “Mausam” and "Meghdoot" android application on mobile for Weather forecast and weather based Agromet Advisories and "Damini" android application for forecast of Thunderstorm and lightening.

Mausam MobileApp link: https://play.google.com/store/apps/details/

Meghdoot MobileApp link: https://play.google.com/store/apps/details

Damini MobileApp link : https://play.google.com/store/apps/details

ग्रामीण कृषि मौसम सेवा
भारत मौसम विज्ञान विभाग
केंद्रीय द्वीपीय कृषि अनुसंधान संस्थान
पोर्टब्लेयर, अंडमान तथा निकोबार द्वीपसमूह

मौसम आधारित कृषि परामर्श सेवाएं

दिनांक : 07-07-2026

NICOBAR(पश्चिम वङ्ग) के मौसम का पूर्वानुमान - जारी करनेका दिन :2026-07-07 (अगले 5 दिनों के 8:30 IST तक वैध)

मौसम कारक	2026-07-08	2026-07-09	2026-07-10	2026-07-11	2026-07-12
वर्षा (मिमी)	5.0	6.0	7.0	4.0	5.0
अधिकतम तापमान(से.)	31.0	31.0	31.0	31.0	31.0
न्यूनतम तापमान(से.)	28.0	28.0	28.0	28.0	28.0
अधिकतम सापेक्षिक आर्द्रता (%)	86	85	86	86	85
न्यूनतम सापेक्षिक आर्द्रता (%)	68	70	73	73	71
हवा की गति (किमी प्रति घंटा)	17	20	21	23	24
पवन दिशा (डिग्री)	228	219	207	209	222
क्लाउड कवर (ओक्टा)	4	5	5	7	8
चेतावनी	NA	NA	NA	NA	NA

पूर्वानुमान सारांश:

07 जुलाई 2026 से अगले पाँच दिनों के दौरान निकोबार में लगभग 27 मिमी हल्की वर्षा होने की संभावना है। अधिकतम तापमान लगभग 31°C तथा न्यूनतम तापमान लगभग 28°C रहने की संभावना है। अधिकतम सापेक्षिक आर्द्रता 85% से 86% तथा न्यूनतम सापेक्षिक आर्द्रता 68% से 73% के बीच रहने की संभावना है। पवन गति 17 से 24 किमी/घंटा के बीच रह सकती है तथा हवाएँ मुख्यतः दक्षिण-दक्षिण-पश्चिम से दक्षिण-पश्चिम दिशा से चलेंगी। आकाश आंशिक रूप से बादलयुक्त से बादलयुक्त रहने की संभावना है।

मौसम चेतावनियाँ (अगले दिन के 08:30 IST तक मान्य):

NIL

मौसम चेतावनियों के कृषि पर संभावित प्रभाव और संबंधित एग्रोमेट सलाह:

NIL

सामान्य सलाहकार:

किसानों को सलाह दी जाती है कि वर्तमान हल्की वर्षा की परिस्थितियों में नियमित कृषि कार्य जारी रखें। 08 जुलाई को उत्तर एवं मध्य अंडमान, दक्षिण अंडमान तथा निकोबार में गरज-चमक के साथ 30–40 किमी/घंटा की रफ्तार से तेज़ हवाएँ चलने की संभावना है। गरज-चमक के दौरान खेतों में कार्य, कीटनाशकों का छिड़काव तथा उर्वरकों का प्रयोग न करें। फसलों में अस्थायी जलभराव से बचाव के लिए खेतों में उचित जल निकासी की व्यवस्था बनाए रखें तथा आवश्यकता होने पर युवा पौधों को सहारा दें। कटाई की गई उपज, बीज, उर्वरक और कीटनाशकों को सूखी एवं सुरक्षित जगह पर रखें। गरज-चमक के दौरान पशुओं को पेड़ों के नीचे न रखें, बल्कि उन्हें हवादार और सुरक्षित पशुशालाओं में रखें। साथ ही, फसलों, पशुओं तथा मत्स्य तालाबों की नियमित निगरानी करें ताकि मौसम से होने वाली क्षति, कीटों और रोगों का समय पर पता लगाकर आवश्यक प्रबंधन किया जा सके।

लघु संदेश सलाहकार:

अगले पाँच दिनों के दौरान हल्की वर्षा होने की संभावना है। 08 जुलाई को ही गरज-चमक के साथ 30–40 किमी/घंटा की रफ्तार से तेज़ हवाएँ चलने की संभावना है। शेष पूर्वानुमान अवधि में मौसम सामान्य रहने की संभावना

फ़सल विशिष्ट सलाह:

फ़सल	फ़सल विशिष्ट सलाह
चावल	धान की रोपाई इस अवधि में की जा सकती है।

बागवानी विशिष्ट सलाह:

बागवानी	बागवानी विशिष्ट सलाह
अदरक	अदरक एवं हल्दी की क्यारियों तथा फल एवं मसाला फसलों के पौधों के चारों ओर हाथ से निराई-गुड़ाई करें, ताकि खरपतवारों की प्रतिस्पर्धा कम हो और फसल की वृद्धि बेहतर हो।

पशुपालन विशिष्ट सलाह:

पशुपालन	पशुपालन विशिष्ट सलाह
गाय	दूध दुहने से पहले और बाद में गाय एवं बकरियों के थनों को पोटैशियम परमैंगनेट ($KMnO_4$) के हल्के घोल या हल्के साबुन के घोल से अच्छी तरह साफ करें। पशुओं के लिए स्वच्छ एवं सूखा बिछावन उपलब्ध कराएँ, विशेषकर रात के समय। फिसलन वाले फर्श पर, खासकर गर्भवती गायों को न रखें, ताकि चोट लगने से बचाया जा सके।

मछली पालन विशिष्ट सलाह:

मछली पालन	मछली पालन विशिष्ट सलाह
भारतीय प्रमुख कार्प	तैयार किए गए तालाबों में कार्प मछली के फ्राई 2–3 लाख प्रति हेक्टेयर अथवा फिंगरलिंग 10,000 प्रति हेक्टेयर की दर से संचय करें। चूँकि इस अवधि में प्रजनन के लिए अनुकूल वर्षा की संभावना नहीं है, इसलिए कार्प मछलियों का प्रेरित प्रजनन (Induced Breeding) न करें।

मौसम चेतावनियों के संभावित प्रभाव (सामान्य):

NIL

प्रभाव आधारित सलाह (सामान्य):

NIL

Farmers are advised to download Unified �Mausam� and "Meghdoot" android application on mobile for Weather forecast and weather based Agromet Advisories and "Damini" android application for forecast of Thunderstorm and lightening.

Mausam MobileApp link: https://play.google.com/store/apps/details/

Meghdoot MobileApp link: https://play.google.com/store/apps/details

Damini MobileApp link : https://play.google.com/store/apps/details