



ग्रामीण कृषि मौसम सेवा
भारत मौसम विज्ञान विभाग
केंद्रीय द्वीपीय कृषि अनुसंधान संस्थान
पोर्टब्लेयर, अंडमान तथा निकोबार द्वीपसमूह



मौसम आधारित कृषि परामर्श सेवाएं

दिनांक : 13-10-2026

NICOBAR(पश्चिम बङ्ग) के मौसम का पूर्वानुमान - जारी करनेका दिन :2026-10-13 (अगले 5 दिनों के 8:30 IST तक वैध)

मौसम कारक	2026-10-14	2026-10-15	2026-10-16	2026-10-17	2026-10-18
वर्षा (मिमी)	50.0	8.0	4.0	8.0	7.0
अधिकतम तापमान(से.)	31.0	31.0	31.0	31.0	31.0
न्यूनतम तापमान(से.)	27.0	27.0	27.0	27.0	27.0
अधिकतम सापेक्षिक आर्द्रता (%)	90	89	88	88	87
न्यूनतम सापेक्षिक आर्द्रता (%)	75	72	71	69	68
हवा की गति (किमी प्रति घंटा)	3	3	4	6	6
पवन दिशा (डिग्री)	140	90	38	40	67
क्लाउड कवर (ओक्टा)	5	4	5	5	3
चेतावनी	NA	NA	NA	NA	NA

पूर्वानुमान सारांश:

14 अक्टूबर 2026 से शुरू होने वाले अगले पाँच दिनों के दौरान हल्की से मध्यम वर्षा होने की संभावना है। दैनिक वर्षा 4.00 से 50.00 मिमी के बीच रहने तथा कुल वर्षा 77.00 मिमी होने का अनुमान है। अधिकतम तापमान लगभग 31.0°C तथा न्यूनतम तापमान लगभग 27.0°C रहने की संभावना है। अधिकतम सापेक्ष आर्द्रता 87 से 90% तथा न्यूनतम सापेक्ष आर्द्रता 68 से 75% के बीच रहने की संभावना है। हवा की गति 3 से 6 किमी प्रति घंटा रहने तथा हवा की दिशा उत्तर-पूर्व (38°) से दक्षिण-पूर्व (140°) की ओर रहने का अनुमान है। आसमान आंशिक रूप से बादलयुक्त से सामान्यतः बादलयुक्त रहने की संभावना है।

मौसम चेतावनियाँ (अगले दिन के 08:30 IST तक मान्य):

आगामी पाँच दिनों के लिए कोई मौसम चेतावनी नहीं है।

मौसम चेतावनियों के कृषि पर संभावित प्रभाव और संबंधित एग्रोमेट सलाह:

मौसम संबंधी कोई चेतावनी नहीं होने के कारण किसी प्रकारकी क्षतिकी संभावना नहीं है।

सामान्य सलाहकार:

अगले पाँच दिनों के दौरान हल्की से मध्यम वर्षा, उच्च आर्द्रता तथा आंशिक रूप से बादलयुक्त से सामान्यतः बादलयुक्त मौसम की संभावना को देखते हुए, किसानों को सलाह दी जाती है कि फसलों में कीटों एवं रोगों की

नियमित निगरानी करें, क्योंकि अधिक आर्द्रता इनके विकास के लिए अनुकूल हो सकती है। उर्वरकों एवं पौध संरक्षण रसायनों का प्रयोग करने से पहले हमेशा मौसम पूर्वानुमान की जाँच करें तथा वर्षा के दौरान छिड़काव करने से बचें। पकी हुई फसलों एवं सब्जियों की कटाई मौसम साफ रहने तथा वर्षारहित अवधि में करें और कटी हुई उपज को सुरक्षित एवं सूखे स्थान पर रखें। पशुओं को स्वच्छ, सूखे एवं हवादार आवास में रखें तथा चारे और पशु आहार को नमी से बचाकर रखें। किसानों को सलाह दी जाती है कि मौसम संबंधी जानकारी के लिए मेघदूत (Meghdoot) ऐप तथा बिजली गिरने से संबंधित चेतावनियों के लिए दामिनी (Damini) ऐप का नियमित उपयोग करें।

लघु संदेश सलाहकार:

हल्की से मध्यम वर्षा की संभावना है। स्वस्थ सूअरों का अनुशंसित कार्यक्रम के अनुसार Classical Swine Fever टीकाकरण कराएँ तथा रोग के प्रसार को रोकने हेतु सूअरों का आवागमन रोकें।

बागवानी विशिष्ट सलाह:

बागवानी	बागवानी विशिष्ट सलाह
नारियल	अगले पाँच दिनों के मौसम पूर्वानुमान को ध्यान में रखते हुए, किसानों को सलाह दी जाती है कि नारियल के पेड़ों के शीर्ष भाग की सफाई करें तथा सूखी एवं रोगग्रस्त पत्तियों और अन्य अनावश्यक पौध अवशेषों को हटा दें। मिट्टी में नमी बनाए रखने और खरपतवारों की वृद्धि को नियंत्रित करने के लिए नारियल के पेड़ों के थालों में जैविक पलवार (मल्ल) बिछाएँ। तने में अत्यधिक नमी जमा होने तथा सड़न से बचाव के लिए पलवार को तने के सीधे संपर्क में न रखें। ये कार्य मौसम अनुकूल एवं वर्षारहित अवधि के दौरान करें।
काली मिर्च	किसानों को सलाह दी जाती है कि लौंग एवं काली मिर्च के पौधों में मिट्टी की पर्याप्त नमी बनाए रखने के लिए आवश्यकतानुसार नियमित सिंचाई करें। पौधों की जड़ों के आसपास जलभराव से बचने के लिए उचित जल निकासी की व्यवस्था सुनिश्चित करें।
बैंगन	किसानों को सलाह दी जाती है कि वे अनुकूल मौसम की स्थिति में वर्षा रहित अवधि के दौरान लोबिया एवं लौकी जैसी उपयुक्त सब्जियों की बुवाई करें। फसलों के अच्छे अंकुरण एवं वृद्धि के लिए मिट्टी में पर्याप्त नमी बनाए रखें तथा खेत में जल निकासी की उचित व्यवस्था करें। साथ ही, वर्षा रहित अवधि के दौरान भिंडी, बैंगन एवं मिर्च की उपज की तुड़ाई करें तथा उपज को सूखे एवं सुरक्षित स्थान पर रखें। खेतों में जलभराव से बचाव के लिए उचित जल निकासी सुनिश्चित करें।

पशुपालन विशिष्ट सलाह:

पशुपालन	पशुपालन विशिष्ट सलाह
सूअर	किसानों को सलाह दी जाती है कि वे पशु चिकित्सक की सलाह के अनुसार छोटे सूअरों को उपयुक्त कृमिनाशक दवा दें। स्वस्थ सूअरों को अनुशंसित टीकाकरण कार्यक्रम के अनुसार स्वाइन फीवर (classical swine fever) का टीका लगावाएँ। रोग के प्रसार को रोकने के लिए सूअरों को एक स्थान से दूसरे स्थान पर ले जाने से बचें।

मौसम चेतावनियों के संभावित प्रभाव (सामान्य):

आगामी पाँच दिनों के लिए कोई मौसम चेतावनी नहीं है। इस अवधि के दौरान मौसम से संबंधित किसी महत्वपूर्ण प्रभाव याक्षतिकी संभावना नहीं है।

प्रभाव आधारित सलाह (सामान्य):

मौसम संबंधी कोई चेतावनी नहीं होने के कारण कोई प्रभाव-आधारित परामर्श नहीं है। घर, कार्यस्थल और बाहर के नियमित कार्य योजनानुसार करें। मौसम की स्थिति में बदलाव होने पर आवश्यक सावधानियाँ बरतने के लिए नवीनतम मौसम पूर्वानुमान और चेतावनियों की जानकारी लेते रहें।

Farmers are advised to download Unified  Mausam  and "Meghdoot" android application on mobile for Weather forecast and weather based Agromet Advisories and "Damini" android application for forecast of Thunderstorm and lightening.

Mausam MobileApp link: <https://play.google.com/store/apps/details/>

Meghdoot MobileApp link: <https://play.google.com/store/apps/details>

Damini MobileApp link : <https://play.google.com/store/apps/details>



Gramin Krishi Mausam Sewa
Agromet Advisory Bulletin for NICOBAR District
Central Agricultural Research Institute
 Port Blair, Andaman & Nicobar Islands



Agromet Advisory Bulletin

Date : 2026-10-13

Weather Forecast of District NICOBAR (West Bengal) Issued On : 2026-10-13 (Valid Till 08:30 IST of the next 5 days)

Parameter	2026-10-14	2026-10-15	2026-10-16	2026-10-17	2026-10-18
Rainfall(mm)	50.0	8.0	4.0	8.0	7.0
Tmax(°C)	31.0	31.0	31.0	31.0	31.0
Tmin(°C)	27.0	27.0	27.0	27.0	27.0
RH-I(%)	90	89	88	88	87
RH-II(%)	75	72	71	69	68
Wind Speed(kmph)	3	3	4	6	6
Wind Direction(Degree)	140	90	38	40	67
Cloud Cover(Octa)	5	4	5	5	3
Warning	NA	NA	NA	NA	NA

Forecast Summary:

The weather forecast for the next five days, starting from 14 October 2026, indicates light to moderate rainfall, ranging from 4.00 to 50.00 mm, with a cumulative rainfall of 77.00 mm. The maximum temperature is expected to be around 31.0°C, while the minimum temperature will be around 27.0°C. Maximum relative humidity is likely to range from 87% to 90%, and minimum relative humidity from 68% to 75%. Wind speed is expected to vary between 3 and 6 kmph, with wind directions ranging from northeast (38°) to southeast (140°). Cloud conditions are likely to range from partly cloudy to generally cloudy.

Weather Warnings (Valid Till 08:30 IST of the next day)

There is no weather warning for upcoming five days.

Likely impacts of weather warnings on Agriculture and associated Agromet advisories

Since there is no weather warning, no damage is likely to occur.

General Advisory:

Considering the forecast of light to moderate rainfall, high humidity and partly cloudy to generally cloudy conditions during the next five days, farmers are advised to monitor crops regularly for pests and diseases, as humid conditions may favour their development. Always check the latest weather forecast before applying fertilizers or plant protection chemicals, and avoid spraying during rainfall. Harvest mature crops and vegetables during suitable rain-free periods and keep the harvested produce in safe, dry places. Keep livestock in clean, dry and well-ventilated shelters, and protect feed and fodder from

moisture. Farmers are advised to follow weather updates through the Meghdoot app and lightning alerts through the Damini app.

SMS Advisory:

Light to moderate rain expected. Vaccinate healthy pigs against Classical Swine Fever as per schedule. Avoid pig movement to prevent disease spread.

Horticulture Specific Advisory:

Horticulture (Stage)	Horticulture Specific Advisory
COCONUT (Maturity and Harvesting)	Considering the weather forecast for the next five days, farmers are advised to clean coconut crowns by removing dry and diseased leaves and other unwanted plant debris. Apply organic mulch around the basins of coconut palms to conserve soil moisture and suppress weed growth, keeping the mulch away from direct contact with the trunk to prevent excess moisture accumulation and rotting. Carry out these operations during suitable rain-free periods.
BLACK PEPPER (Vegetative)	Farmers are advised to provide regular irrigation to clove and black pepper plants as required to maintain adequate soil moisture. Ensure proper drainage to prevent waterlogging around the plant roots.
BRINJAL (Maturity and Harvesting)	Farmers may initiate sowing of suitable vegetables, such as cowpea and bottle gourd, during the rain-free period under favourable weather conditions. Ensure adequate soil moisture and proper drainage for healthy crop establishment. Farmers are advised to harvest mature okra, brinjal and chilli during the rain-free period and store the harvested produce in a dry, sheltered place. Maintain proper drainage in vegetable fields to prevent waterlogging.

Live Stock Specific Advisory:

Live Stock	Live Stock Specific Advisory
PIG	Farmers are advised to deworm young pigs using suitable medicines as recommended by a veterinarian. Vaccinate healthy pigs against classical swine fever as per the recommended vaccination schedule. Avoid transporting pigs from one place to another to minimize the risk of disease spread.

Likely impacts of weather warnings (General)

There is no weather warning for the upcoming five days. No significant weather-related impact or damage is expected during this period.

Impact based advisories (General)

No impact-based advisory is provided as there is no weather warning. Carry out routine household, workplace and outdoor activities as planned. Keep checking the latest weather forecast and warnings and take necessary precautions if the weather situation changes.

Farmers are advised to download Unified "Mausam" and "Meghdoot" android application on mobile for Weather forecast and weather based Agromet Advisories and "Damini" android application for forecast of Thunderstorm and lightening.

Mausam MobileApp link: <https://play.google.com/store/apps/details/>

Meghdoot MobileApp link: <https://play.google.com/store/apps/details>

Damini MobileApp link : <https://play.google.com/store/apps/details>



Gramin Krishi Mausam Sewa
Agromet Advisory Bulletin for SOUTH-ANDAMANS District
Central Agricultural Research Institute
 Port Blair, Andaman & Nicobar Islands



Agromet Advisory Bulletin

Date : 2026-10-13

Weather Forecast of District SOUTH-ANDAMANS (West Bengal) Issued On : 2026-10-13 (Valid Till 08:30 IST of the next 5 days)

Parameter	2026-10-14	2026-10-15	2026-10-16	2026-10-17	2026-10-18
Rainfall(mm)	20.0	14.0	8.0	7.0	6.0
Tmax(°C)	32.0	31.0	31.0	31.0	32.0
Tmin(°C)	26.0	26.0	26.0	26.0	26.0
RH-I(%)	86	86	86	85	83
RH-II(%)	73	70	69	69	66
Wind Speed(kmph)	8	9	3	1	3
Wind Direction(Degree)	118	115	160	72	103
Cloud Cover(Octa)	5	5	5	3	3
Warning	NA	NA	NA	NA	NA

Forecast Summary:

During the next five days, starting from 14 October 2026, light to moderate rainfall is expected, ranging from 6.00 to 20.00 mm, with a cumulative rainfall of 55.00 mm. The maximum temperature is likely to range between 31.0°C and 32.0°C, while the minimum temperature is expected to be around 26.0°C. Maximum relative humidity is likely to vary from 83% to 86%, and minimum relative humidity from 66% to 73%. Wind speed is expected to range between 1 and 9 kmph, with directions varying from east-northeast (72°) to south-southeast (160°). The sky is likely to remain partly cloudy to generally cloudy.

Weather Warnings (Valid Till 08:30 IST of the next day)

There is no weather warning for upcoming five days.

Likely impacts of weather warnings on Agriculture and associated Agromet advisories

Since there is no weather warning, no damage is likely to occur.

General Advisory:

Considering the forecast of light to moderate rainfall, high humidity and partly cloudy to generally cloudy conditions during the next five days, farmers are advised to monitor crops regularly for pests and diseases, as humid conditions may favour their development. Always check the latest weather forecast before applying fertilizers or plant protection chemicals, and avoid spraying during rainfall. Harvest mature crops and vegetables during suitable rain-free periods and keep the harvested produce in safe, dry places. Keep livestock in clean, dry and well-ventilated shelters, and protect feed and fodder from

moisture. Farmers are advised to follow weather updates through the Meghdoot app and lightning alerts through the Damini app.

SMS Advisory:

Light to moderate rain expected. Vaccinate healthy pigs against Classical Swine Fever as per schedule. Avoid pig movement to prevent disease spread.

Crop Specific Advisory:

Crop (Stage)	Crop Specific Advisory
RICE (Milking)	As light to moderate rainfall is expected during the next five days, farmers are advised to maintain a water level of 2–3 cm in rice fields containing late-duration varieties at the flowering to milking stage. During the milking stage, Gandhi bugs may infest the crop. Farmers should regularly monitor the crop for pest incidence and, if infestation is observed, apply neem oil at 3–4% concentration during suitable rain-free periods. Short-duration rice varieties such as CARI Dhan 6 and early-duration paddy varieties are approaching physiological maturity. As light rainfall is expected, farmers are advised to drain excess water from the fields to facilitate grain maturity and plan harvesting during clear, rain-free periods.

Horticulture Specific Advisory:

Horticulture (Stage)	Horticulture Specific Advisory
SAPOTA (Physiological Maturity)	Considering the weather forecast for the next five days, farmers are advised to undertake softwood grafting in mango, sapota and jackfruit using 8–9-month-old rootstocks during suitable rain-free periods. Select healthy, elite mother trees and avoid trees bearing new flushes or flowers. Protect newly grafted plants from direct rainfall and excess moisture to ensure successful graft establishment. Always check the latest weather forecast before carrying out grafting operations.
BLACK PEPPER (Vegetative)	Farmers are advised to provide regular irrigation to clove and black pepper plants as required to maintain adequate soil moisture. Ensure proper drainage to prevent waterlogging around the plant roots.
CUCUMBER (Harvesting)	Farmers may initiate sowing of suitable vegetables, such as cowpea and bottle gourd, during the rain-free period under favourable weather conditions. Ensure adequate soil moisture and proper drainage for healthy crop establishment. Farmers are advised to harvest mature okra, brinjal and chilli during the rain-free period and store the harvested produce in a dry, sheltered place. Maintain proper drainage in vegetable fields to prevent waterlogging.

Live Stock Specific Advisory:

Live Stock	Live Stock Specific Advisory
PIG	Farmers are advised to deworm young pigs using suitable medicines as recommended by a veterinarian. Vaccinate healthy pigs against classical swine fever as per the recommended vaccination schedule. Avoid transporting pigs from one place to another to minimize the risk of disease spread.

Likely impacts of weather warnings (General)

There is no weather warning for the upcoming five days. No significant weather-related impact or damage is expected during this period.

Impact based advisories (General)

No impact-based advisory is provided as there is no weather warning. Carry out routine household, workplace and outdoor activities as planned. Keep checking the latest weather forecast and warnings and take necessary precautions if the weather situation changes.

Farmers are advised to download Unified “Mausam” and "Meghdoot" android application on mobile for Weather forecast and weather based Agromet Advisories and "Damini" android application for forecast of Thunderstorm and lightening.

Mausam MobileApp link: <https://play.google.com/store/apps/details/>

Meghdoot MobileApp link: <https://play.google.com/store/apps/details>

Damini MobileApp link : <https://play.google.com/store/apps/details>



ग्रामीण कृषि मौसम सेवा
भारत मौसम विज्ञान विभाग
केंद्रीय द्वीपीय कृषि अनुसंधान संस्थान
पोर्टब्लेयर, अंडमान तथा निकोबार द्वीपसमूह



मौसम आधारित कृषि परामर्श सेवाएं

दिनांक : 13-10-2026

N-AND-M-ANDAMAN(पच्छिम बङ्ग) के मौसम का पूर्वानुमान - जारी करनेका दिन :2026-10-13 (अगले 5 दिनों के 8:30 IST तक वैध)

मौसम कारक	2026-10-14	2026-10-15	2026-10-16	2026-10-17	2026-10-18
वर्षा (मिमी)	15.0	10.0	8.0	4.0	3.0
अधिकतम तापमान(से.)	31.0	30.0	30.0	30.0	31.0
न्यूनतम तापमान(से.)	23.0	23.0	23.0	23.0	23.0
अधिकतम सापेक्षिक आर्द्रता (%)	86	86	86	86	83
न्यूनतम सापेक्षिक आर्द्रता (%)	73	69	70	68	64
हवा की गति (किमी प्रति घंटा)	10	10	3	2	4
पवन दिशा (डिग्री)	121	99	135	104	360
क्लाउड कवर (ओक्टा)	5	5	5	3	3
चेतावनी	NA	NA	NA	NA	NA

पूर्वानुमान सारांश:

14 अक्टूबर 2026 से शुरू होने वाले अगले पाँच दिनों के दौरान हल्की वर्षा होने की संभावना है। दैनिक वर्षा 15.00 मिमी तक तथा कुल वर्षा 40.00 मिमी होने का अनुमान है। अधिकतम तापमान 30.0 से 31.0°C तथा न्यूनतम तापमान लगभग 23.0°C रहने की संभावना है। अधिकतम सापेक्ष आर्द्रता 83 से 86% तथा न्यूनतम सापेक्ष आर्द्रता 64 से 73% के बीच रहने की संभावना है। हवा की गति 2 से 10 किमी प्रति घंटा रहने तथा हवा की दिशा पूर्व (99°) से उत्तर (360°) की ओर रहने का अनुमान है। आसमान आंशिक रूप से बादलयुक्त से सामान्यतः बादलयुक्त रहने की संभावना है।

मौसम चेतावनियाँ (अगले दिन के 08:30 IST तक मान्य):

आगामी पाँच दिनों के लिए कोई मौसम चेतावनी नहीं है।

मौसम चेतावनियों के कृषि पर संभावित प्रभाव और संबंधित एग्रोमेट सलाह:

मौसम संबंधी कोई चेतावनी नहीं होने के कारण किसी प्रकारकी क्षतिकी संभावना नहीं है।

सामान्य सलाहकार:

हल्की वर्षा के पूर्वानुमान को देखते हुए किसानों को सिंचाई की योजना अपेक्षित वर्षा के अनुसार बनाने और पर्याप्त मृदा नमी होने पर अनावश्यक सिंचाई से बचने की सलाह दी जाती है। नवीनतम वर्षा पूर्वानुमान की जानकारी लेने के बाद उर्वरक एवं पौध संरक्षण उपायों को उपयुक्त वर्षा-रहित अवधि में किया जा सकता है। विशेष रूप से अधिक आर्द्र परिस्थितियों में फसलों में कीट एवं रोगों की नियमित निगरानी करें। पशुओं को स्वच्छ, सूखे एवं हवादार स्थान पर रखें तथा चारा एवं पशु आहार को वर्षा और नमी से सुरक्षित रखें। जहाँ संभव हो, वर्षा जल का संरक्षण करें तथा खेत तालाबों एवं अन्य जल भंडारण संरचनाओं का उचित रखरखाव करें। मेघदूत ऐप के माध्यम से मौसम संबंधी जानकारी और दामिनी ऐप के माध्यम से आकाशीय बिजली की चेतावनियों की नियमित जानकारी लेते रहें।

लघु संदेश सलाहकार:

हल्की वर्षा की संभावना है। स्वस्थ सूअरों को अनुशंसित कार्यक्रम के अनुसार शास्त्रीय स्वाइन फीवर का टीका लगावाएँ। रोग के प्रसार को रोकने के लिए सूअरों का आवागमन रोकें।

फ़सल विशिष्ट सलाह:

फ़सल	फ़सल विशिष्ट सलाह
चावल	अगले पाँच दिनों के दौरान हल्की से मध्यम वर्षा होने की संभावना को देखते हुए, किसानों को सलाह दी जाती है कि फूल आने से लेकर दाना भरने की अवस्था में खड़ी देर से पकने वाली धान की किस्मों के खेतों में 2-3 सेमी जलस्तर बनाए रखें। दाना भरने की अवस्था में धान की फसल पर गंधी बग (Gandhi bug) के प्रकोप की संभावना रहती है। अतः किसानों को सलाह दी जाती है कि फसल की नियमित निगरानी करें तथा कीट का प्रकोप दिखाई देने पर उपयुक्त वर्षारहित अवधि में 3-4% सांद्रता वाले नीम तेल का छिड़काव करें। CARI धान-6 तथा अन्य शीघ्र पकने वाली धान की किस्में शारीरिक परिपक्वता की अवस्था के निकट हैं। हल्की से मध्यम वर्षा की संभावना को देखते हुए, किसानों को सलाह दी जाती है कि धान के दानों के उचित पकने के लिए खेतों से अतिरिक्त पानी निकाल दें तथा साफ एवं वर्षा रहित मौसम के दौरान धान की कटाई करें।

बागवानी विशिष्ट सलाह:

बागवानी	बागवानी विशिष्ट सलाह
चीकू	अगले पाँच दिनों के मौसम पूर्वानुमान को ध्यान में रखते हुए, किसानों को सलाह दी जाती है कि उपयुक्त वर्षारहित अवधि के दौरान 8-9 माह पुराने मूलवृंत (रूटस्टॉक) का उपयोग करके आम, सपोटा एवं कटहल में सॉफ्टवुड ग्राफ्टिंग (कोमल काष्ठ कलम बाँधना) करें। इसके लिए स्वस्थ एवं श्रेष्ठ गुणों वाले मातृवृक्षों का चयन करें तथा नई कोंपलों या फूलों वाले वृक्षों पर ग्राफ्टिंग करने से बचें। सफल कलम स्थापना सुनिश्चित करने के लिए नव-ग्राफ्टेड पौधों को सीधे वर्षा एवं अत्यधिक नमी से सुरक्षित रखें। ग्राफ्टिंग कार्य करने से पहले हमेशा नवीनतम मौसम पूर्वानुमान की जाँच करें।
काली मिर्च	किसानों को सलाह दी जाती है कि लौंग एवं काली मिर्च के पौधों में मिट्टी की पर्याप्त नमी बनाए रखने के लिए आवश्यकतानुसार नियमित सिंचाई करें। पौधों की जड़ों के आसपास जलभराव से बचने के लिए उचित जल निकासी की व्यवस्था सुनिश्चित करें।
खीरा	किसानों को सलाह दी जाती है कि वे अनुकूल मौसम की स्थिति में वर्षा रहित अवधि के दौरान लोबिया एवं लौकी जैसी उपयुक्त सब्जियों की बुवाई करें। फसलों के अच्छे अंकुरण एवं वृद्धि के लिए मिट्टी में पर्याप्त नमी बनाए रखें तथा खेत में जल निकासी की उचित व्यवस्था करें। साथ ही, वर्षा रहित अवधि के दौरान भिंडी, बैंगन एवं मिर्च की उपज की तुड़ाई करें तथा उपज को सूखे एवं सुरक्षित स्थान पर रखें। खेतों में जलभराव से बचाव के लिए उचित जल निकासी सुनिश्चित करें।

पशुपालन विशिष्ट सलाह:

पशुपालन	पशुपालन विशिष्ट सलाह
सूअर	किसानों को सलाह दी जाती है कि वे पशु चिकित्सक की सलाह के अनुसार छोटे सूअरों को उपयुक्त कृमिनाशक दवा दें। स्वस्थ सूअरों को अनुशंसित टीकाकरण कार्यक्रम के अनुसार स्वाइन फीवर (classical swine fever) का टीका लगवाएँ। रोग के प्रसार को रोकने के लिए सूअरों को एक स्थान से दूसरे स्थान पर ले जाने से बचें।

मौसम चेतावनियों के संभावित प्रभाव (सामान्य):

आगामी पाँच दिनों के लिए कोई मौसम चेतावनी नहीं है। इस अवधि के दौरान मौसम से संबंधित किसी महत्वपूर्ण प्रभाव या क्षतिकी संभावना नहीं है।

प्रभाव आधारित सलाह (सामान्य):

मौसम संबंधी कोई चेतावनी नहीं होने के कारण कोई प्रभाव-आधारित परामर्श नहीं है। घर, कार्यस्थल और बाहर के नियमित कार्य योजनानुसार करें। मौसम की स्थिति में बदलाव होने पर आवश्यक सावधानियाँ बरतने के लिए नवीनतम मौसम पूर्वानुमान और चेतावनियों की जानकारी लेते रहें।

Farmers are advised to download Unified  Mausam  and "Meghdoot" android application on mobile for Weather forecast and weather based Agromet Advisories and "Damini" android application for forecast of Thunderstorm and lightening.

Mausam MobileApp link: <https://play.google.com/store/apps/details/>

Meghdoot MobileApp link: <https://play.google.com/store/apps/details>

Damini MobileApp link : <https://play.google.com/store/apps/details>



Gramin Krishi Mausam Sewa
Agromet Advisory Bulletin for N-AND-M-ANDAMAN
District
Central Agricultural Research Institute
 Port Blair, Andaman & Nicobar Islands



Agromet Advisory Bulletin

Date : 2026-10-13

Weather Forecast of District N-AND-M-ANDAMAN (West Bengal) Issued On : 2026-10-13 (Valid Till 08:30 IST of the next 5 days)

Parameter	2026-10-14	2026-10-15	2026-10-16	2026-10-17	2026-10-18
Rainfall(mm)	15.0	10.0	8.0	4.0	3.0
Tmax(°C)	31.0	30.0	30.0	30.0	31.0
Tmin(°C)	23.0	23.0	23.0	23.0	23.0
RH-I(%)	86	86	86	86	83
RH-II(%)	73	69	70	68	64
Wind Speed(kmph)	10	10	3	2	4
Wind Direction(Degree)	121	99	135	104	360
Cloud Cover(Octa)	5	5	5	3	3
Warning	NA	NA	NA	NA	NA

Forecast Summary:

The forecast for the next five days, starting from 14 October 2026, indicates light rainfall, with daily rainfall reaching 15.00 mm and cumulative rainfall expected to be 40.00 mm. The maximum temperature is likely to range between 30.0°C and 31.0°C, while the minimum temperature is expected to be around 23.0°C. Maximum relative humidity is likely to vary from 83% to 86%, and minimum relative humidity from 64% to 73%. Wind speed is expected to range between 2 and 10 kmph, with wind directions varying from east (99°) to north (360°). Cloud conditions are likely to range from partly cloudy to generally cloudy.

Weather Warnings (Valid Till 08:30 IST of the next day)

There is no weather warning for upcoming five days.

Likely impacts of weather warnings on Agriculture and associated Agromet advisories

Since there is no weather warning, no damage is likely to occur.

General Advisory:

Considering the forecast of light rainfall, farmers are advised to use the expected rainfall for planning irrigation and avoid irrigation where adequate soil moisture is available. Fertilizer and plant protection applications may be taken up during suitable rain-free periods after checking the latest rainfall forecast. Monitor crops regularly for pests and diseases, particularly under humid conditions. Keep livestock in clean, dry and well-ventilated shelters and protect feed and fodder from rain and moisture. Conserve

rainwater where possible and maintain farm ponds and other water storage structures. Follow weather updates through the Meghdoot app and lightning alerts through the Damini app.

SMS Advisory:

Light rainfall expected. Vaccinate healthy pigs against Classical Swine Fever as per schedule. Avoid pig movement to prevent disease spread.

Crop Specific Advisory:

Crop (Stage)	Crop Specific Advisory
RICE (Milking)	As light to moderate rainfall is expected during the next five days, farmers are advised to maintain a water level of 2–3 cm in rice fields containing late-duration varieties at the flowering to milking stage. During the milking stage, Gandhi bugs may infest the crop. Farmers should regularly monitor the crop for pest incidence and, if infestation is observed, apply neem oil at 3–4% concentration during suitable rain-free periods. Short-duration rice varieties such as CARI Dhan 6 and early-duration paddy varieties are approaching physiological maturity. As light rainfall is expected, farmers are advised to drain excess water from the fields to facilitate grain maturity and plan harvesting during clear, rain-free periods.

Horticulture Specific Advisory:

Horticulture (Stage)	Horticulture Specific Advisory
SAPOTA (Physiological Maturity)	Considering the weather forecast for the next five days, farmers are advised to undertake softwood grafting in mango, sapota and jackfruit using 8–9-month-old rootstocks during suitable rain-free periods. Select healthy, elite mother trees and avoid trees bearing new flushes or flowers. Protect newly grafted plants from direct rainfall and excess moisture to ensure successful graft establishment. Always check the latest weather forecast before carrying out grafting operations.
BLACK PEPPER (Vegetative)	Farmers are advised to provide regular irrigation to clove and black pepper plants as required to maintain adequate soil moisture. Ensure proper drainage to prevent waterlogging around the plant roots.
CUCUMBER (Maturity and Harvesting)	Farmers may initiate sowing of suitable vegetables, such as cowpea and bottle gourd, during the rain-free period under favourable weather conditions. Ensure adequate soil moisture and proper drainage for healthy crop establishment. Farmers are advised to harvest mature okra, brinjal and chilli during the rain-free period and store the harvested produce in a dry, sheltered place. Maintain proper drainage in vegetable fields to prevent waterlogging.

Live Stock Specific Advisory:

Live Stock	Live Stock Specific Advisory
PIG	Farmers are advised to deworm young pigs using suitable medicines as recommended by a veterinarian. Vaccinate healthy pigs against classical swine fever as per the recommended vaccination schedule. Avoid transporting pigs from one place to another to minimize the risk of disease spread.

Likely impacts of weather warnings (General)

There is no weather warning for the upcoming five days. No significant weather-related impact or damage is expected during this period.

Impact based advisories (General)

No impact-based advisory is provided as there is no weather warning. Carry out routine household, workplace and outdoor activities as planned. Keep checking the latest weather forecast and warnings and take necessary precautions if the weather situation changes.

Farmers are advised to download Unified “Mausam” and "Meghdoot" android application on mobile for Weather forecast and weather based Agromet Advisories and "Damini" android application for forecast of Thunderstorm and lightening.

Mausam MobileApp link: <https://play.google.com/store/apps/details/>

Meghdoot MobileApp link: <https://play.google.com/store/apps/details>

Damini MobileApp link : <https://play.google.com/store/apps/details>



ग्रामीण कृषि मौसम सेवा
भारत मौसम विज्ञान विभाग
केंद्रीय द्वीपीय कृषि अनुसंधान संस्थान
पोर्टब्लेयर, अंडमान तथा निकोबार द्वीपसमूह



मौसम आधारित कृषि परामर्श सेवाएं

दिनांक : 13-10-2026

SOUTH-ANDAMANS(पश्चिम वङ्ग) के मौसम का पूर्वानुमान - जारी करनेका दिन :2026-10-13 (अगले 5 दिनों के 8:30 IST तक वैध)

मौसम कारक	2026-10-14	2026-10-15	2026-10-16	2026-10-17	2026-10-18
वर्षा (मिमी)	20.0	14.0	8.0	7.0	6.0
अधिकतम तापमान(से.)	32.0	31.0	31.0	31.0	32.0
न्यूनतम तापमान(से.)	26.0	26.0	26.0	26.0	26.0
अधिकतम सापेक्षिक आर्द्रता (%)	86	86	86	85	83
न्यूनतम सापेक्षिक आर्द्रता (%)	73	70	69	69	66
हवा की गति (किमी प्रति घंटा)	8	9	3	1	3
पवन दिशा (डिग्री)	118	115	160	72	103
क्लाउड कवर (ओक्टा)	5	5	5	3	3
चेतावनी	NA	NA	NA	NA	NA

पूर्वानुमान सारांश:

14 अक्टूबर 2026 से शुरू होने वाले अगले पाँच दिनों के दौरान हल्की से मध्यम वर्षा होने की संभावना है। दैनिक वर्षा 6.00 से 20.00 मिमी के बीच रहने तथा कुल वर्षा 55.00 मिमी होने का अनुमान है। अधिकतम तापमान 31.0 से 32.0°C तथा न्यूनतम तापमान लगभग 26.0°C रहने की संभावना है। अधिकतम सापेक्ष आर्द्रता 83 से 86% तथा न्यूनतम सापेक्ष आर्द्रता 66 से 73% के बीच रहने की संभावना है। हवा की गति 1 से 9 किमी प्रति घंटा रहने तथा हवा की दिशा पूर्व-उत्तर-पूर्व (72°) से दक्षिण-दक्षिण-पूर्व (160°) की ओर रहने का अनुमान है। आसमान आंशिक रूप से बादलयुक्त से सामान्यतः बादलयुक्त रहने की संभावना है।

मौसम चेतावनियाँ (अगले दिन के 08:30 IST तक मान्य):

आगामी पाँच दिनों के लिए कोई मौसम चेतावनी नहीं है।

मौसम चेतावनियों के कृषि पर संभावित प्रभाव और संबंधित एग्रोमेट सलाह:

मौसम संबंधी कोई चेतावनी नहीं होने के कारण किसी प्रकारकी क्षतिकी संभावना नहीं है।

सामान्य सलाहकार:

अगले पाँच दिनों के दौरान हल्की से मध्यम वर्षा, उच्च आर्द्रता तथा आंशिक रूप से बादलयुक्त से सामान्यतः बादलयुक्त मौसम की संभावना को देखते हुए, किसानों को सलाह दी जाती है कि फसलों में कीटों एवं रोगों की नियमित निगरानी करें, क्योंकि अधिक आर्द्रता इनके विकास के लिए अनुकूल हो सकती है। उर्वरकों एवं पौध संरक्षण रसायनों का प्रयोग करने से पहले हमेशा मौसम पूर्वानुमान की जाँच करें तथा वर्षा के दौरान छिड़काव करने से बचें। पकी हुई फसलों एवं सब्जियों की कटाई मौसम साफ रहने तथा वर्षारहित अवधि में करें और कटी हुई उपज को सुरक्षित एवं सूखे स्थान पर रखें। पशुओं को स्वच्छ, सूखे एवं हवादार आवास में रखें तथा चारे और पशु आहार को नमी से बचाकर रखें। किसानों को सलाह दी जाती है कि मौसम संबंधी जानकारी के लिए मेघदूत (Meghdoot) ऐप तथा बिजली गिरने से संबंधित चेतावनियों के लिए दामिनी (Damini) ऐप का नियमित उपयोग करें।

लघु संदेश सलाहकार:

हल्की से मध्यम वर्षा की संभावना है। स्वस्थ सूअरों का अनुशंसित कार्यक्रम के अनुसार Classical Swine Fever टीकाकरण कराएँ तथा रोग के प्रसार को रोकने हेतु सूअरों का आवागमन रोकें।

फ़सल विशिष्ट सलाह:

फ़सल	फ़सल विशिष्ट सलाह
चावल	अगले पाँच दिनों के दौरान हल्की से मध्यम वर्षा होने की संभावना को देखते हुए, किसानों को सलाह दी जाती है कि फूल आने से लेकर दाना भरने की अवस्था में खड़ी देर से पकने वाली धान की किस्मों के खेतों में 2-3 सेमी जलस्तर बनाए रखें। दाना भरने की अवस्था में धान की फसल पर गंधी बग (Gandhi bug) के प्रकोप की संभावना रहती है। अतः किसानों को सलाह दी जाती है कि फसल की नियमित निगरानी करें तथा कीट का प्रकोप दिखाई देने पर उपयुक्त वर्षारहित अवधि में 3-4% सांद्रता वाले नीम तेल का छिड़काव करें। CARI धान-6 तथा अन्य शीघ्र पकने वाली धान की किस्में शारीरिक परिपक्वता की अवस्था के निकट हैं। हल्की से मध्यम वर्षा की संभावना को देखते हुए, किसानों को सलाह दी जाती है कि धान के दानों के उचित पकने के लिए खेतों से अतिरिक्त पानी निकाल दें तथा साफ एवं वर्षा रहित मौसम के दौरान धान की कटाई करें।

बागवानी विशिष्ट सलाह:

बागवानी	बागवानी विशिष्ट सलाह
चीकू	अगले पाँच दिनों के मौसम पूर्वानुमान को ध्यान में रखते हुए, किसानों को सलाह दी जाती है कि उपयुक्त वर्षारहित अवधि के दौरान 8-9 माह पुराने मूलवृंत (रूटस्टॉक) का उपयोग करके आम, सपोटा एवं कटहल में सॉफ्टवुड ग्राफ्टिंग (कोमल काष्ठ कलम बाँधना) करें। इसके लिए स्वस्थ एवं श्रेष्ठ गुणों वाले मातृवृक्षों का चयन करें तथा नई कोपलों या फूलों वाले वृक्षों पर ग्राफ्टिंग करने से बचें। सफल कलम स्थापना सुनिश्चित करने के लिए नव-ग्राफ्टेड पौधों को सीधे वर्षा एवं अत्यधिक नमी से सुरक्षित रखें। ग्राफ्टिंग कार्य करने से पहले हमेशा नवीनतम मौसम पूर्वानुमान की जाँच करें।
काली मिर्च	किसानों को सलाह दी जाती है कि लौंग एवं काली मिर्च के पौधों में मिट्टी की पर्याप्त नमी बनाए रखने के लिए आवश्यकतानुसार नियमित सिंचाई करें। पौधों की जड़ों के आसपास जलभराव से बचने के लिए उचित जल निकासी की व्यवस्था सुनिश्चित करें।
खीरा	किसानों को सलाह दी जाती है कि वे अनुकूल मौसम की स्थिति में वर्षा रहित अवधि के दौरान लोबिया एवं लौकी जैसी उपयुक्त सब्जियों की बुवाई करें। फसलों के अच्छे अंकुरण एवं वृद्धि के लिए मिट्टी में पर्याप्त नमी बनाए रखें तथा खेत में जल निकासी की उचित व्यवस्था करें। साथ ही, वर्षा रहित अवधि के दौरान भिंडी, बैंगन एवं मिर्च की उपज की तुड़ाई करें तथा उपज को सूखे एवं सुरक्षित स्थान पर रखें। खेतों में जलभराव से बचाव के लिए उचित जल निकासी सुनिश्चित करें।

पशुपालन विशिष्ट सलाह:

पशुपालन	पशुपालन विशिष्ट सलाह
सूअर	किसानों को सलाह दी जाती है कि वे पशु चिकित्सक की सलाह के अनुसार छोटे सूअरों को उपयुक्त कृमिनाशक दवा दें। स्वस्थ सूअरों को अनुशंसित टीकाकरण कार्यक्रम के अनुसार स्वाइन फीवर (classical swine fever) का टीका लगवाएँ। रोग के प्रसार को रोकने के लिए सूअरों को एक स्थान से दूसरे स्थान पर ले जाने से बचें।

मौसम चेतावनियों के संभावित प्रभाव (सामान्य):

आगामी पाँच दिनों के लिए कोई मौसम चेतावनी नहीं है। इस अवधि के दौरान मौसम से संबंधित किसी महत्वपूर्ण प्रभाव या क्षतिकी संभावना नहीं है।

प्रभाव आधारित सलाह (सामान्य):

मौसम संबंधी कोई चेतावनी नहीं होने के कारण कोई प्रभाव-आधारित परामर्श नहीं है। घर, कार्यस्थल और बाहर के नियमित कार्य योजनानुसार करें। मौसम की स्थिति में बदलाव होने पर आवश्यक सावधानियाँ बरतने के लिए नवीनतम मौसम पूर्वानुमान और चेतावनियों की जानकारी लेते रहें।

Farmers are advised to download Unified  Mausam  and "Meghdoot" android application on mobile for Weather forecast and weather based Agromet Advisories and "Damini" android application for forecast of Thunderstorm and lightening.

Mausam MobileApp link: <https://play.google.com/store/apps/details/>

Meghdoot MobileApp link: <https://play.google.com/store/apps/details>

Damini MobileApp link : <https://play.google.com/store/apps/details>